

PEEL OFF MASK FOR DELIVERY OF ACTIVES

Benefits

- Water Resistant
- Ease to Peel Off
- Easy to spread
- Suitable for delivery of different actives

PHASE	Trade	INCI	Function	% as added
A	Water	Solvent		57
	Butylene Glycol	Butylene Glycol	Humectant	1
	Poly Suga Sil C-35P	PEG-8 PG-Coco-Glucoside Dimethicone	Conditioning Agent	2
	Gransil PSQ	Polymethylsilsesquioxane	Conditioning Agent	4
	Unipure Red LC381	Iron Oxide (C.I. 77491)	Colorant	2
B	Lingel ACSF	Acrylates Copolymer	Fixative	3
	AMP Ultra PC 2000	Aminomethyl Propanol	Neutralizing Agent	0.3
C	Lingel FF	Acrylates Copolymer	Film Former	30
D	Lincoserve PE815	Phenoxyethanol, Ethylhexylglycerin	Preservative	0.7
				100

Procedure

1. In an appropriate size vessel add Purified Water and begin moderate agitation with a lightning mixer.
2. Individually add the remaining Phase A ingredients to the water with constant agitation.
3. Homomix batch until Iron Oxide is finely dispersed.
4. Add the Lingel ACSF to Phase A. Phase separation will occur. Continue high shear agitation.
5. Slowly add the AMP Ultra PC 2000. Batch will thicken. Stir until smooth and homogeneous. Be careful not to aerate the batch.
6. Slowly add Phase C to batch with constant high shear agitation.
7. Add Phase D. Mix with sweep agitation until batch is smooth and homogenous.

**For more information and samples, please contact
Formulations@MaroonGroupLLC.com**

DISCLAIMER: The information contained herein is based on current knowledge and experience and from tests performed in a controlled environment. No responsibility is accepted that the information is sufficient, complete or correct in all cases. Users should consider the data only as a supplement to other information. Product specifications should be verified by users prior to usage. Users should make independent determination of suitability and completeness of information from all sources to assure proper use of this product and the safety of User's customers. Users should be aware that results may vary depending on use of and/or mixture of this product with other products. The determination of suitability of the above product for any particular use is solely the responsibility of the user. 6-25-18 NP

Encapsulated Detoxifying Peelable Mask with NuSolutions™ CBD Oil

Composition

	INCI	Function	Wt%
	Water	Solvent	54.9%
LinPure™ BG	Butylene Glycol (Lincoln MFG)	Humectant	1%
Poly Suga Sil C – 35P	PEG-8 PG-Coco-Glucoside Dimethicone (Lincoln Fine Ingredients)	Conditioning Agent	2%
Kaolin Clay USP	Kaolin (Lincoln Fine Ingredients)	Moisturizing Agent	4%
Lingel ACSF	Acrylates Copolymer (Lincoln Fine Ingredients)	Fixative	2.5%
AMP Ultra PC 2000	Aminomethyl Propanol	Neutralizing Agent	0.3%
Lingel FF	Acrylates Copolymer (Lincoln Fine Ingredients)	Film Former	30%
NuSolutions™ CBD-90	Cannabidiol (Lincoln MFG)	Active	0.3%
SalColor White to Black	Titanium Dioxide, Iron Oxide (CI 77499), Sucrose, MICA, Ethyl Cellulose, Hydroxypropyl Methyl Cellulose (Lincoln Fine Ingredients)	Active	3%
Linatural™ Ultra-3	Propanediol, Pentylene Glycol, Phenethyl Alcohol (Lincoln MFG)	Preservative	2%

How to Use

1. Apply product on desired area and rub firmly to activate. Color will change to grey/black when activated.
2. Allow to dry (thickness of layer will impact dry time).
3. Once dry, a flexible, water resistant film will form.
4. Once ready to be removed, mist the area product is applied to.
5. Let mist settle for a few seconds.
6. Begin to peel at the edge of the product application.
7. Depending on thickness and dry time, the product will peel off in a layer or layers.
8. Remove any remaining product by peeling or removing with a wet cloth.



For more information and samples, please contact: Formulations@MaroonGroupLLC.com
Maroon Group LLC | 50 Industrial Circle, Lincoln, RI 02865 USA | 401.722.2410